

شهادة تمة لشركة السيمان



اينوك
ENOC

EMIRATES NATIONAL OIL COMPANY LIMITED (ENOC) LLC
CERTIFICATE OF RECOGNITION

Awarded to

Al Meaad General Trading LTD

For achieving Sales Efficiency - Volume Growth in 2010

Mohammed Sadek
MANAGER - ENOC LUBRICANTS



DNV

DET NORSKE VERITAS MANAGEMENT SYSTEM CERTIFICATE

Certificate No. 89794-2010-AQ-ARE-RvA

This is to certify that

ENOC Lubricants & Grease Manufacturing Plant L.L.C.

at

Plot # TF 4, Port of Fujairah, P.O. Box: 4037, Fujairah, United Arab Emirates

has been found to conform to the Management System Standard:

ISO 9001:2008

This Certificate is valid for the following product or service ranges:

**The Blending and Supply of Lubricants, Speciality Products Including
Manufacturing of Greases for ENOC and Third Party Brand Customers**

Initial Certification date:

10 December 2010

This Certificate is valid until:

09 December 2013

The audit has been performed under the supervision of:

Balamurugan Sambasivam
Lead Auditor



Place and date:

Dubai, 10 December 2010

for the Accredited Unit:
**DET NORSKE VERITAS CERTIFICATION B.V.,
THE NETHERLANDS**


Torger Baardseth
Management Representative

Lack of fulfilment of conditions as set out in the Certification Agreement may render this Certificate invalid.

DET NORSKE VERITAS CERTIFICATION B.V., Zoelsteweg 1, 2904 LB Barendrecht, The Netherlands, TFI: +31 10 2629 088 - www.dnv.com / www.dnv.nl



الشركة العربية للسيارات ذ.م.ك
Arabian Automobiles Co. LLC

Service Division
P.O. Box: 2128, Dubai, U.A.E.
Tel: 04 2950333, Fax: 04 2952702
E-mail: aacservice@awrostamani.com
www.nissan.arabianautomobiles.com

25th November, 07

M/s. ENOC
P.O.Box 28577
Dubai

TO WHOM IT MAY CONCERN

This letter serves as our endorsement to the use of ENOC products through out our complete range of vehicles.

Arabian Automobiles Company has switched over all lubricant requirements to ENOC products as of January 2007, using ENOC PRTOTEC PREMIUM oils for all Nissan and Renault vehicles and the top range ENOC PROTEC XTREME fully synthetic oil for the high end, high performance Infiniti range of vehicles.

We find that the products easily meet the specification levels required by Nissan, Renault & Infiniti and exceed our performance expectations.

We are fully satisfied in the Aftersales support we receive from ENOC and in the technical back up whenever needed including technical training and product analysis.

The whole ENOC deal has been very satisfactory economically and technically.

For **ARABIAN AUTOMOBILES CO.**


George Mathew
National Service Manager

National Service Manager
Arabian Automobiles Co. L.L.C

ص.ب. ٢١٢٨، دبي، الإمارات العربية المتحدة، هاتف: ٠٤٢٩٥٠٣٣٣ - فاكس: ٠٤٢٩٥٢٧٠٢

SH. ZAYED ROAD : 04 3390998
RAS AL KHAIMAH : 07 2351663

AWEER : 04 3332838
FUJAIRAH : 09 2231106

SHARJAH : 06 5395454
DHAKA : 06 8822799

AJMAN : 06 7431136
UMM AL QUWAIN : 06 7666158

عضو مجموعة عبد الواحد الرستماني
A Member of the AW Rostamani Group





April 19, 2009

ENOC brand diesel engine oil VULCAN 880X obtains prestigious VOLVO VDS 4 approval

Today we are glad to announce that ENOC brand engine oil "VULCAN 880X" has been granted approval by VOLVO for VDS 4 thus joining select group of oil companies who posses VDS 4 approval.

VOLVO VDS 4 specification is meant for longer engine durability and extended oil drain capability. The approval process comprise of three stages. Stage I: Qualified API CJ4 and ACEA E7 diesel engine oil is subjected to series of lab Engine testing as per VOLVO VDS 4 spec. Stage II: Oil formulation approved in stage 1 is tested in the field for 400000 KM with a drain period of 100000 KM and sample testing done every 25000 KM. Stage III: oil formulation passed in stage II are coded and granted approval to oil companies on brand name.

VOLVO group comprise of VOLVO, MACK, RENAULT subsidiaries. Since VULCAN 880X qualifies the highest diesel specification category VDS 4, VOLVO is pleased to grant approval for MACK and RENAULT trucks also. Soon approvals shall be placed in website www.enocinternationalsales.com

We must add another rejoice that VULCAN 880X has also been approved by API for low emission oil category API CJ4 thus joining environmental friendly emission control diesel engine oils group. API CJ4 oils are used in diesel engines models of 2007 and onwards fitted with exhaust emission control devices. During the last quarter 2008, we had reported introduction environmental friendly low emission oil ENOC brand PROTEC GREEN for gasoline category.

With introduction of these products ENOC joins select group of oil companies marketing high quality low emission compatible lubricants.

To develop lubricants of this kind, a lot of technical knowledge resources are pooled with good amount of engine and field testing work. Very few companies have capability and resources to meet these challenges; we are glad to announce that ENOC is one of them.

Regards

Salah Galadari
Chief Operating Officer

ENOC International Sales L.L.C.

ENOC Complex, Sheikh Rashid Road

P.O. Box: 6442, Dubai - United Arab Emirates

Tel : +971 4 3374400, Fax : +971 4 3134602

Paid up Share Capital: AED. 300,000 Commercial Registration No: 524781

اينوك للمبيعات العالمية ذ.م.م.

صنوع اينوك، شارع الشيخ راشد

ص.ب. 6442، دبي، الامارات العربية المتحدة

هاتف: 3374400 فاكس: 3134602 +971 4

رأس المال المدفوع: 300,000 درهم رقم التسجيل التجاري: 524781

DAIMLER

Daimler AG - 70546 Stuttgart

ENOC International Sales L.L.C.
Attn. Mr. Kumar Thangavel Rathina
Sheikh Rashid Road
DUBAI
UNITED ARAB EMIRATES

Telefon/Phone
+49 7 11 17-
24801

Telefax/Fax
+49 7 11 17-
59756

Hauptpost-Code/
Internal Code
C401

Ihr Zeichen, Ihre Nachricht/vom/
Your reference/
12.07.2010

Unser Zeichen, unsere Nachricht vom/
EP/MDV F 15055

Name
Mrs Fuchs

Datum/Date
07.03.2011

MB-Approval Certificate

MB-Approval for: Engine Oil "ENOC PROTEC GREEN 5W 40"

Reblend to IME 0603937-A, Deutsche Infineum GmbH
MB-BeVo-Sheet: 229.51 and 229.31, Oil-Code: IME 0603937-A, SAE-Grade: 5W-40
Additional Formulation and Additional Sheet - Reblend

Dear Sir or Madam,

We have examined the additional formulation submitted under the previously approved product name shown above. This formulation also complies the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.51 and 229.31 and will be approved for use in Mercedes-Benz vehicles and assemblies. The application range is shown and explained on the sheet 223.2. Other requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.


MB-Approval is valid with date of this certificate. The validity period is limited to the validity period of the above mentioned original and will expire in 5 years at the latest. New approvals have to be applied for in good time.

You must be able to inform us at all times which formulation is (or was) being sold in a given country at all times.

A 2 litre sample of each formulation (including all SAE grade variants) must be retained at all times, and can be called upon by Daimler AG at any given moment. We will advise the address.

Sincerely
Daimler AG

p.p. Sass



p.p. Dr. Breitbach



Daimler AG, Stuttgart, Germany
Sitz und Registergericht / Domicile and Court of Registry: Stuttgart, HRB-Nr./Commercial Register No.: 19 360
Vorsitzender des Aufsichtsrats/Chairman of the Supervisory Board: Manfred Blochhoff
Vorstand/Board of Management: Dieter Zetsche, Vorsitzender/Chairman:
Wolfgang Bernhard, Wilfried Porth, Andreas Renschler, Bodo Uebber, Thomas Weber

Daimler AG
70546 Stuttgart
Telefon/Phone +49 7 11 17-0
Telefax/Fax +49 7 11 17-2 22 44
dialag@daimler.com
www.daimler.com